

GX[™] The Essential Painting Tool for Professionals



PROFESSIONAL ADVANTAGES

- Ideal for painting in renovation and new home construction projects
- Finish every job, every day thanks to the ProXChange™ fast pump replacement system
- Compact, lightweight and easy to use

The Essential Painting Tool for Professionals

With the GX[™] line of Airless Sprayers, Graco allows professionals to reap the benefits of AIRLESS Painting:

- > SPEED AND EFFICIENCY: finish your jobs faster
- UNIFORM APPLICATION: apply an even layer of paint on every surface
- BETTER FINISH: does not leave streaks like with a roller or a brush
- EASY HANDLING: take you sprayer with you wherever you go

Maybe you have not yet had the opportunity to experience the benefits of spraying Airless first hand? Then here is your chance!

"A true Airless for professionals has never been this affordable."

If ever you had any reservations about switching from your brush and roller to Airless equipment, we have now made the decision easier! Because of its innovative design, Graco's GX[™] line lets you take your first step into Airless spray equipment, with a limited investment.

Are you an Airless painter? You already know you can finish more jobs quicker, with a better finish... What we CAN tell you is that with Graco's GX^{TM} line you will now be able to transfer these benefits to even more jobs!

Why just stick to Airless painting for exterior jobs, or bigger commercial projects? Why not use Airless for interior renovation jobs as well? Start now with the GX™ Airless paint sprayers that are:

- still the professional equipment you're used to working with, but in a more compact and easier to carry version
- designed to offer their benefits at an all time low investment
- ideal to spray your second colour and increase your productivity on small job sites



ProX[™] Power-Piston Pump

- Exceptional durability and long life piston pump
- Exclusive, lifetime lubricated wiper pad for maintenance-free operation
- Modular pump components for easy maintenance



around with you

() GRACO

Flexible Clear Tubing

Easy to use and clean. Spray water or solventbased paints directly from containers from 1 - 30 litres.



Convenient Drip Cup

Eliminates the risk of paint drips.



Direct Immersion Design

Draws paint directly from paint buckets.

Hopper (5.7 litre) -**Toolless removal** - Ideal for small amounts of material - Lid included for spill-proof portability **Professional FTx[™]-E Gun** with RAC X[™] tip, 7.5 m hose



Allows you to spray or roll a wide range of coatings.



PushPrime[™]

Assures fast priming every time - loosens stuck inlet check valves in case of priming issues.



Pressure Gauge

Professional oil-filled pressure gauge

Transform your GX unit into the optimal renovation painting tool

JetRoller™

Extend your sprayer

Use your preferred roller and combine rolling & spraying into one operation. Extend your sprayer with the JetRoller and minimize application time when combining rolling and spraying into one operation.

Benefits:

- ➤ Uses commonly available 18 or 25 cm roller covers.
- > Completes large jobs in half the time of traditional methods
- Reduces overspray
- > Eliminates reaching
- > Eliminates climbing and continually reaching up and down

Kit includes a lightweight detachable roller frame, 50 cm extension, CleanShot™ Shut-Off™ valve, Inline™ gun, spray tip and guard.

ProXChange™ Pump Replacement System

The Easy & Fast Pump Repair System

In four simple steps, you can remove and replace the pump cartridge:

- ➤ No tools needed to remove pump
- > Simply lift door to remove pump



Slide & lift open access door



Remove pump section



Use frame hex fitting to loosen pump and remove cartridge



Install new cartridge and replace pump



replacement pump

to hand!





The Essential Painting Tool for Professionals

Technical Specifications

All units ship complete and ready to spray:

Model Name:	GX™ FF	GX [™] 21
Part Numbers: for EURO Version (230 V)	CEE VD0 cord / 17G184	CEE VDO cord / 17G183
for Multicord Version (230 V)	Multi x4: IT-CH-DK-UK / 17H222	Multi x4: IT-CH-DK-UK / 17H218
Max. Working Pressure - bar	207 bar	207 bar
Max. Tip Size - 1 Gun	0.019"	0.021"
Max. Fluid Flow - Ipm / (gpm)	1.5 / (0.38)	1.8 / (0.47)
Frame Design	Hopper Stand	DI Stand
Suction System	5.7 litre Hopper, solvent resistant	White, solvent resistant
InstaClean [™] Pump Filter	None	40 mesh
Hose	3/16" x 7.5 m BlueMax™ II	1/4" x 15 m Duraflex™
Gun / Guard / Tip	FTx [™] -E / RAC X [™] / FFA210	SG3™ / RAC X™ / PAA515
Gun Filter	100 mesh	60 mesh
Gun Style	2-Finger	4-Finger

Accessories

Get the most out of your equipment, using our professional accessories:



Guns

17J261 FTx[™]-E gun, 2-Finger, with RAC X[™] 210 tip 17J910 SG3[™] gun, 4-Finger, with RAC X[™] 515 tip



Gun Filter (for GX™ FF - FTx™-E Gun)

30 mesh, grey 257129 60 mesh, black 287032 287033 100 mesh. blue 257130 200 mesh, red



Gun Filter (for GX[™] 21 - SG3[™] Gun) 50 mesh, black

218131 218133 100 mesh, blue 256975 150 mesh, red Material Filter InstaClean™

257094 40 mesh, inline filter



Hoses

214698 3/16" x 7.5 m (BlueMax™ II) 247340 1/4" x 15 m (Duraflex[™])



Tips & Guards

FFAXXX Green RAC X[™] fine finish tip PAAXXX Blue RAC X[™] professional airless tip WA12XX RAC X™ Wide RAC™, for big surfaces

246215 RAC X™ guard



Other

17J444 Carrying strap 17H170

Hopper, 5.7 litre (GX[™] FF only) Pump Armor[™], 1 litre, cleaning fluid 253574



ProXChange™ Pump Kit - Blister Pack

Blister pack, fits all GX units

JetRoller™ System

with Inline™ Gun without Inline™ Gun 24V490 Roller 18 cm 24V492 Roller 18 cm 24V491 Roller 25 cm 24V493 Roller 25 cm

CleanShot™ RAC X™ Pole Gun

287026 90 cm 1287027 180 cm

6880095 245397

Rollers with InLine™ Gun

Exterior, 30 cm fixed 098084 Exterior, 90-180 cm telescopic 098085 Exterior, 45-90 cm telescopic

Interior, 50 cm fixed



287021 50 cm 287020 40 cm 287022 75 cm

232123 1 m Heavy Duty extension



Whips (230 bar)

238358 3/16" x 0.9 m 238359 3/16" x 1.8 m 238959 3/16" x 1.4 m



ProGuard™+

24W090 230 V, CEE 7/7, shuko 24W755 230 V, IEC320, multicord

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

Graco is certified ISO 9001.

Stavanger Korrosjon AS

Strandbakken 3 • 4070 Randaberg, Dusavik Base • Norway Tel: +47 51410711 • E-mail: post@stavanger-korrosjon.no • http://www.stavanger-korrosjon.no

