

# **ST MAX<sup>™</sup> II** PC Pro

Midsize range of Electric Airless Paint Sprayers for Professional Painting Contractors



## **PROFESSIONAL ADVANTAGES**

- Ideal for renovation and new construction family house painting
- Save time cleaning your unit with FastFlush<sup>™</sup>
- Finish every job, every day thanks to ProGuard<sup>™</sup>, protection against bad voltage and ProConnect<sup>™</sup> fast pump replacement system



# ST MAX<sup>™</sup> II PC Pro

Spra

Finish every job, every day!

#### ST Max™ II PC Pro

More **PERFORMANCE**, advanced **TECHNOLOGY** and extra features offers you every day reliability and ultimate user comfort, with **ST Max<sup>™</sup> II PC Pro**.

When you need the increased productivity to handle medium residential and light commercial jobs, **ST Max<sup>™</sup> II PC Pro** delivers the performance you want. Available for you in a compact stand version or the more featured cart version, offering direct suction, a kick back, hose wrap and toolbox as a premium.

It's for **YOU**, we equipped all **ST Max<sup>™</sup> II PC Pro** with ProConnect<sup>™</sup>, ProGuard<sup>™</sup>, maintenance-free brushless motor design, Endurance<sup>™</sup> Pump, Contractor<sup>™</sup> Gun, SmartControl<sup>™</sup> 2.5 and FastFlush<sup>™</sup>. Leading technology, helps you finish your paint job on time, every day with a smile! SmartControl<sup>™</sup> 2.5 with FastFlush<sup>™</sup> - Digital display shows pressure, liters and hours - Digital brain, variable pressure setting, controlling spray fan and functionality - Providing error messages and diagnostics, ideal for maintenance tracking - Fast Flush<sup>™</sup> high flow cleaning system runs faster and dramatically reduces cleaning time

10

Fast Flush

#### FastFlush™

Save time cleaning your unit! The FastFlush pump cleaning system cleans the unit up to four times faster using only half the water.

**SMARTCONTROL**<sup>™</sup>



#### **MaxPower Brushless DC Motor**

- Higher torque = More work done
- Brushless design means that you will never need to replace brushes
- Totally enclosed, fan-cooled design protects the internal components of the motor from dirt, dust and overspray, 5 year warranty

#### ProGuard<sup>™</sup>+

Sprayer Protection System Guards against bad or extreme job site power conditions (230V models only)



Watch our application videos at: http://www.contractorclub.com

### Your Perfect 'Buddy' for Renovation Jobs

#### **ST Max II PC Pro Features**

The combination of reliable performance and compact design makes the ST Max II PC Pro range the ideal product for interior painting of family houses or small residential jobs. You can easily spray almost all interior acrylic paints, emulsions, laquers, varnishes and enamels on walls, wood and metal surfaces.

The ST Max II 595 PC Pro outperforms all other models and can also be used for occasional façade painting.



#### Easy-Out<sup>™</sup> Pump Filter

- Large filtering area reduces tip
- clogs and ensures a quality finish
- Inside out filter design filters won't
- collapse and cleans with only a few liters - Vertical filter design removes simply with the cap,
- eliminates spill



**On-Board Toolbox** Convenient storage container keeps tools, tips, filters and accessories where you need them most (Hi-Boy).

#### **Features**



### EXTEND Your Reach!

#### JetRoller™ <u>The id</u>eal renovation tool

Extend your sprayer with the JetRoller and minimize application time when combining rolling and spraying into one operation. Uses commonly available 18 or 25 cm roller covers.

#### **Benefits:**

- Reduces overspray
- Eliminates reaching
- Eliminates climbing and continually reaching up and down
- Completes large jobs in half the time of traditional methods

Kit includes a lightweight detachable roller frame, 50 cm extension, CleanShot<sup>™</sup> Shut-Off<sup>™</sup> valve, Inline<sup>™</sup> gun, spray tip and guard.

Semi-Pneumatic Wheels - Roll easily over rough terrain

#### **Durable Cart design**

PRD

- Thick chrome over steel to withstand rugged environments
- Retractable handle doubles as a hose wrap for simple removal of coiled hose
- Comfortable inlet suction allows suction of unthinned paint up to 30 liter buckets
- TiltBack<sup>™</sup> easily allows one man bucket change



Hopper

A convenient 5.7 liter hopper,

compatible with all units

**TIP** 

With a spare pump ready, you'll always be able to finish your job!

Features

Exchange your pump easily **YOURSELF** in 3 steps in case any damage appears.

No more time wasted or money lost to labour charges on pump repairs.



Loosen the clamping nut



Open door and remove pump



Remove hose and suction tube





# ST MAX<sup>™</sup> II PC Pro Accessories

Get the most out of your equipment, using our professional accessories

_	_				_				
	Contractor™ Guns				1	Hopper			
*Ro	288475	<b>5</b> -				288526		tand version	
Jas	288009	60 + 100 mesh filter 4-finger, RAC X <sup>™</sup> guard and 517 tip,			e_	24B250	5.7 liter / hi-boy version		
	200005	60 mesh filter	yuaru an	1517 up,		JetRoll	er™ System 0.5	m Heavy Duty E	- xtension
12	262114	2-finger, RAC X	<sup>™</sup> guard, no	tip,		28	ine™ Gun	without Inl	
		60 mesh filter	<b>U</b>	•		🖉 🥕 24V490	roller 18 cl	m 24V492	roller 18 cm
						24V491			roller 25 cm
	-	<b>Gun Filters</b>				232123	1 m Heavy	Duty extension	
	257129	30 mesh, grey		100 mesh, blu					
	287032	60 mesh, black	257130	200 mesh, red	d Z		hot <sup>™</sup> RAC X <sup>™</sup> Po		100 om
	Eacy_Qut™	Dump Eiltore			12	287026	90 cm	287027	180 cm
	Easy-Out <sup>™</sup> Pump Filters 246425 30 mesh, grey				and the second s	BAC X	Tip Extensions		
	246384 60 mesh, black (= standard)				22.	287019		287021	50 cm
330	246382	100 mesh, blue	(- otandare	•)		287020		287022	75 cm
20	246383	200 mesh, red							
						Rollers	Exterior (comp	lete)	
	BlueMax <sup>™</sup> II Hoses					688009			
Z	214698	3/16" x 7.5 m	241272	1/4" x 20 m	1	098084		n telescopic	
	240794	1/4" x 15 m	223771	1/4" x 30 m	A	098085	45-90 cm	telescopic	
	Hose Conn	ootors			121	Roller	V:+		
50	156971		157350	1/4" x 3/8"	and the second s	245397		ior roller 50 cm -	EvenElow™ h
-	100071		107000	1/4 × 5/0		240001		over 12 mm - InLi	
	Whips (230	) bar)				6	20 0111 00		ino guin
<	238358	3/16" x 0.9 m	238359	3/16" x 1.8 m		Tips &	Guards		
	238959	3/16" x 1.4 m				🎏 📬 🛛 FFAXXX		X fine finish tip	
<b>.</b>					0	🗍 🗍 PAAXXX		(professional airle	
		k - ProConnect F				WA12X		eRac, for big surfa	aces
₽.≣	17C489	Blister Pack, fits	all ST Max	II PC Pro		1 246215	RAC X gua	ra	
<b>II</b>	<b>ProGuard</b> <sup>™</sup>	<b>'</b> +			F	Liquids			
-17-2	24W090 230V, CEE 7/7, shuko					206994		I	
6	24W755	230V, IEC320, n	nulti-cord			253574	Pump Armo	or™ 1 I	
ecific	ations				~	P P	•	P P	PP
								<u></u>	S.
	JID complete o	nd ready to spray with:	Contractor						
		BlueMax <sup>™</sup> II hose 1/4" :		gun,				- ar	0
<sup>™</sup> X (PAA517)	tip and guard,	ProGuard+ voltage prot	ection.		ST Max <sup>™</sup> II 395	ST Max <sup>™</sup> II 395	ST Max <sup>™</sup> II 495	ST Max <sup>™</sup> II 495	ST Max <sup>™</sup> II
					PC Pro	PC Pro	PC Pro	PC Pro	PC
					Stand	Hi-Boy	Stand	Hi-Boy	Hi-
Number	s: for EURO	version (230 V)			17C369	17C372	17C373	17C376	170
for Multicord version (230 V)					-	_	17C374	17C377	170
	for UK (1 <sup>-</sup>	10 V)			-	-	170375	-	170
	Pressure - b				227 (3300)	227 (3300)	227 (3300)	227 (3300)	227 (3
x. Fluid Flow - I/min. (gpm)				2.0 (0.54)	2.0 (0.54)	2.3 (0.60)	2.3 (0.60)	2.6 (0	
ax. Tip Size - 1 gun				0.023"	0.023"	0.025"	0.025"	0.	
ght - kg (ll					14 (30)	30 (66)	15 (34)	30 (66)	33
otor Rating - HP 1.0 Bi inimum Generator Requirement - W					1.0 Brushless DC	1.0 Brushless DC	1.2 Brushless DC	1.2 Brushless DC	1.6 Brushles
imum Gen	erator Requi	rement - W			3500	3500	3750	3750	4
						111		111	
tures: Tilt	Back <sup>™</sup> / Buc	ket Hook			-	V / V	_	✓ / ✓ ]	V
Тос	Back <sup>™</sup> / Buc blbox / Hose artControl <sup>™</sup>	Wrap				✓ / ✓ ✓ / ✓	_/_	v / v	

**Stavanger Korrosjon AS** 

Strandbakken 3 • 4070 Randaberg • Norway • Tel: +47 51410711 E-mail: post@stavanger-korrosjon.no • http://www.stavanger-korrosjon.no

All information, illustrations, and specifications in this document are based on the latest product information available at the time of publication. The right is reserved to make changes at any time without notice.